

Biological Factors that Underlie Individual Susceptibility to Environmental Stressors and Their Implications for Decision-Making

April 18-19, 2012
Washington, DC

Suggested Reading and Related Links

(Claudia Miller)

Miller CS and Prihoda TJ. (1999) A controlled comparison of symptoms and chemical intolerances reported by Gulf War veterans, implant recipients and persons with multiple chemical sensitivity. *Toxicology and Industrial Health* 15: 386-397
<http://www.ncbi.nlm.nih.gov/pubmed/10416290>

Miller CS and Prihoda TJ. (Apr-Jun 1999). The environmental exposure and sensitivity inventory (EESI): a standardized approach for measuring chemical intolerances for research and clinical applications. *Toxicology and Industrial Health* 15(3-4): 370-385
<http://www.ncbi.nlm.nih.gov/pubmed/10416289>

Miller Claudia S. Toxicant-induced loss of tolerance: Mechanisms of action of addictive stimuli. *Addiction* (2000) 96(1), 115-139
<http://www.mcs-america.org/tilt.pdf>

Miller C, Ashford N, Doty R, et al. (March 1997) Empirical approaches for the investigation of toxicant-induced loss of tolerance. *Environmental Health Perspective*. 105 Suppl 2: 515-9
<http://www.ncbi.nlm.nih.gov/pubmed/9167989>

(Nat Rothman)

Rothman N, Wacholder S, Caporaso NE, et al. (2001) The use of common genetic polymorphisms to enhance the epidemiologic study of environmental carcinogens. *Biochimica et biophysica acta*. 1471(2):C1-10
<http://www.ncbi.nlm.nih.gov/pubmed/11342183>

Rothman N, Garcia-Closas M, et al. (Nov 2010) A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. *Nature Genetics* 42(11):978-84
<http://www.ncbi.nlm.nih.gov/pubmed/20972438>

Alguacil J, Kogevinas M, Silverman DT et al. (Jun 2011) Urinary pH, cigarette smoking and bladder cancer risk. *Carcinogenesis* 32(6):843-7
<http://www.ncbi.nlm.nih.gov/pubmed/21402590>

Moore LE, Boffetta P, Karami S, et al. (2010 Aug 15) Occupational trichloroethylene exposure and renal carcinoma risk: evidence of genetic susceptibility by reductive metabolism gene variants. *Cancer Research* 70(16):6527-36
<http://www.ncbi.nlm.nih.gov/pubmed/20663906>

Lan Q, He X, Costa DJ, et al. (Jun 2000). Indoor coal combustion emissions, GSTM1 and GSTT1 genotypes, and lung cancer risk: a case-control study in Xuan Wei, China. *Cancer Epidemiology, Biomarkers & Prevention* 9(6):605-8

<http://www.ncbi.nlm.nih.gov/pubmed/10868696>

Cantor KP, Villanueva CM, Silverman DT, et al. (Nov 2010) Polymorphisms in GSTT1, GSTZ1, and CYP2E1, disinfection by-products, and risk of bladder cancer in Spain. *Environmental Health Perspectives* 118(11):1545-50

<http://www.ncbi.nlm.nih.gov/pubmed/20675267>

Colt JS, Rothman N, Severson RK, et al. (2009 Feb 26). Organochlorine exposure, immune gene variation, and risk of non-Hodgkin lymphoma. *Blood*; 113(9):1899-905

<http://www.ncbi.nlm.nih.gov/pubmed/19066394>

(Fred Wright)

Wright FA, Shabalin AA, Rusyn I. Computational tools for discovery and interpretation of expression quantitative trait loci. *Pharmacogenomics*. 2012 Feb;13(3):343-52.

<http://www.ncbi.nlm.nih.gov/pubmed/22304583>

Lock EF, Abdo N, Huang R, Xia M, Kosyk O, O'Shea SH, Zhou YH, Sedykh A, Tropsha A, Austin CP, Tice RR, Wright FA, Rusyn I. Quantitative high-throughput screening for chemical toxicity in a population-based in vitro model. *Toxicol Sci*. 2012 Apr;126(2):578-88

<http://toxsci.oxfordjournals.org/content/126/2/578.abstract>

Xia K, Shabalin AA, Huang S, Madar V, Zhou YH, Wang W, Zou F, Sun W, Sullivan PF, Wright FA. seeQTL: a searchable database for human eQTLs. *Bioinformatics*. 2012 Feb 1;28(3):451-2.

<http://bioinformatics.oxfordjournals.org/content/28/3/451.abstract>

(John E. French)

Frazer KA, Eskin E, Kang HM, Bogue MA, Hinds DA, Beilharz EJ, Gupta RV, Montgomery J, Morensoni MM, Nilsen GB, Pethiyagoda CL, Stuve LL, Johnson FM, Daly MJ, Wade CM, Cox DR. A sequence-based variation map of 8.27 million SNPs in inbred mouse strains. *Nature* 448: 1050-3, 2007

<http://www.ncbi.nlm.nih.gov/pubmed/17660834>

Yang H, Bell TA, Churchill GA, Pardo-Manuel de Villena F. On the subspecific origin of the laboratory mouse. *Nat Genet*. 39(9):1100-7, 2007

<http://www.ncbi.nlm.nih.gov/pubmed/17660819>

Harrill AH, Ross PK, Gatti DM, Threadgill DW, Rusyn I. Population-based discovery of toxicogenomics biomarkers for hepatotoxicity using a laboratory strain diversity panel. *Toxicol Sci*. 110:235-43, 2009

<http://www.ncbi.nlm.nih.gov/pubmed/19420014>

Harrill AH, Watkins PB, Su S, Ross PK, Harbourt DE, Stylianou IM, Boorman GA, Russo MW, Sackler RS, Harris SC, Smith PC, Tennant R, Bogue M, Paigen K, Harris C, Contractor T, Wiltshire T, Rusyn I, Threadgill DW. Mouse population-guided resequencing reveals that variants in CD44 contribute to acetaminophen-induced liver injury in humans. *Genome Res*. 19:1507-15, 2009

<http://www.ncbi.nlm.nih.gov/pubmed/19416960>

Waits ER, Nebert DW. Genetic architecture of susceptibility to PCB126-induced developmental cardiotoxicity in zebrafish. *Toxicol Sci*. 122:466-75, 2011

<http://www.ncbi.nlm.nih.gov/pubmed/21613231>

Collaborative Cross Consortium The genome architecture of the collaborative cross mouse genetic reference population. *Genetics*. 190:389-401, 2012

<http://www.ncbi.nlm.nih.gov/pubmed/22345608>

Emerging Science for Environmental Health Decisions
National Research Council of the National Academies

Svenson KL, Gatti DM, Valdar W, Welsh CE, Cheng R, Chesler EJ, Palmer AA, McMillan L, Churchill GA. High-resolution genetic mapping using the mouse diversity outbred population. *Genetics*. 190: 437-47, 2012 <http://www.ncbi.nlm.nih.gov/pubmed/22345611>

Jiang R, French JE, Stober VP, Kang-Sickel JC, Zou F, Nylander-French LA. Single Nucleotide Polymorphisms Associated with Skin Naphthyl-Keratin Adduct Levels in Workers Exposed to Naphthalene. *Environ Health Perspect*. 2012 Mar 5. <http://www.ncbi.nlm.nih.gov/pubmed/22391508>

(Harvey Clewell)

Bois FY, Jamei M, Clewell HJ. 2010. PBPK modelling of inter-individual variability in the pharmacokinetics of environmental chemicals. *Toxicology*, 278(3):256-267. <http://www.ncbi.nlm.nih.gov/pubmed/20600548>

Clewell HJ, Andersen ME. 1996. Use of physiologically-based pharmacokinetic modeling to investigate individual versus population risk. *Toxicology* 111:315-329. <http://www.ncbi.nlm.nih.gov/pubmed/8711746>

(Duncan Thomas)

Thomas, Duncan. (15 April 2009) *Statistical Methods in Environmental Epidemiology*. Chapter 15: Risk Assessment pp. 325-330. Oxford University Press, Edition 1

Thomas, D, Lewinger JP, Murcay CE, Gauderman, WJ. (2012) Invited commentary: GE-Whiz! Ratcheting gene-environment studies up to the whole genome and the whole exposome. *American Journal of Epidemiology* 175(3): 203-207 <http://aje.oxfordjournals.org/content/175/3/203>

Thomas, Duncan. Gene-environment-wide association studies: emerging approaches. (2010 March 9) *Nature Reviews Genetics* Vol 11, pp.259-272 <http://www.nature.com/nrg/journal/v11/n4/abs/nrg2764.html>

(Michael Dourson)

Lehman, A.J. and O.G. Fitzhugh. 1954. 100-fold margin of safety. *Assoc. Food Drug Off. U.S.Q. Bull.* 18:51-58.

Weil, C.S. 1972. Statistics versus safety factors and scientific judgement in the evaluation of safety for man. *Toxicol. Appl. Pharmacol.* 21:454-463. <http://www.sciencedirect.com/science/article/pii/0041008X72900038>

Zielhuis, R.L. and F.W. van der Kreek. 1979. The use of a safety factor in setting health based permissible levels for occupational exposure. *Int. Arch. Occup. Environ. Health.* 42: 191-201. <http://www.springerlink.com/content/lh30w63312r92751/>

Dourson, M.L. and J.F. Stara. 1983. Regulatory history and experimental support of uncertainty (safety) factors. *Regul Toxicol Pharmacol.* 3: 224-238. <http://www.ncbi.nlm.nih.gov/pubmed/6356243>

Barnes, D.G. and M.L. Dourson. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol.* 8: 471-486.

<http://www.ncbi.nlm.nih.gov/pubmed/3222488>

Lewis, S.C., J.R. Lynch and A.I. Nikiforov. 1990. A new approach to deriving community exposure guidelines from no-observed-adverse-effect levels. *Regul Toxicol Pharmacol.* 11: 314-330.

<http://www.ncbi.nlm.nih.gov/pubmed/2196639>

Renwick, A.G. 1991. Safety factors and establishment of acceptable daily intake. *Food Add. Contam.* 8(2): 135-149.

<http://www.ncbi.nlm.nih.gov/pubmed/1868926>

Farland, W. and M.L. Dourson. 1992. Noncancer health endpoints: Approaches to quantitative risk assessment. In: *Comparative Environmental Risk Assessment*, R. Cothorn (Editor), Lewis Publishers, Boca Raton, Florida, pages 87-106.

Dourson, M.L., L.A. Knauf, and J.C. Swartout. 1992. On Reference Dose (RfD) and Its Underlying Toxicity Data Base. *Toxicology and Industrial Health.* 8(3): 171-189.

<http://www.ncbi.nlm.nih.gov/pubmed/1502696>

Renwick, A.G. 1993. Data derived safety factors for the evaluation of food additives and environmental contaminants. *Food Addit Contam.* 10(3): 275-305.

<http://www.ncbi.nlm.nih.gov/pubmed/8359312>

Kroes, R., I. Munro, E. Poulsen (editors). 1993. Scientific Evaluation of the Safety Factor for the Acceptable Daily Intake. *Food Addit Contam.* 10(3): 269-373.

<http://www.ncbi.nlm.nih.gov/pubmed/8359311>

IPCS (International Programme on Chemical Safety). 1994. Derivation of guidance values for health-based exposure limits. *Environmental Health Criteria No. 170: Assessing human health risks of chemicals.* World Health Organization, Geneva.

<http://www.inchem.org/documents/ehc/ehc/ehc170.htm>

Jarabek, A.M. 1995. The application of dosimetry models to identify key processes and parameters for default dose response assessment approaches. *Toxicol Lett.* 79: 171-184.

<http://www.ncbi.nlm.nih.gov/pubmed/7570654>

Jarabek, A.M. 1995. Interspecies Extrapolation Based on Mechanistic Determinants of Chemical Disposition. *J. Human and Ecol. Risk Assess.* 1(5): 641-662.

<http://www.tandfonline.com/doi/abs/10.1080/10807039509380054#preview>

Pohl, H.R. and H.G. Abadin. 1995. Utilizing uncertainty factors in minimal risk levels derivation. *Regul Toxicol Pharmacol.* 22: 180-188.

http://www.atsdr.cdc.gov/mrls/articles/utilizing_uncertainty_factors_in_mrl_derivation.pdf

Dourson, M.L., S.P. Felter, and D. Robinson. 1996. Evolution of science-based uncertainty factors in noncancer risk assessment. *Regul Toxicol Pharmacol.* 24: 108-120.

<http://www.tera.org/publications/UF%20in%20Noncancer.pdf>

Kalberlah, F. and K. Schneider. 1998. Quantification of extrapolation factors, Federal Environmental Agency, Germany, 1998. Final report of the research project No. 116 06 113.

http://books.google.com/books/about/Quantification_of_extrapolation_factors.html?id=byDtPgAACAAJ

Swartout, J., P. Price, M. Dourson, H. Carlson-Lynch, and R. Keenan. 1998. A Probabilistic Framework For The Reference Dose. *Risk Anal.* 18(3): 271-282.

<http://www.ncbi.nlm.nih.gov/pubmed/9664723>

Felter, S.P. and M. Dourson. 1998. The Inexact Science of Risk Assessment (and Implications for Risk Management). *Human and Ecol. Risk Assessment*. 2: 245-251

<http://www.tera.org/Publications/inexact%20science.pdf>

Evans, J.S. and J.S. Baird. 1998. Accounting for missing data in noncancer risk assessment. *Human and Ecological Risk Assessment* 4(2):291-317.

<http://www.tandfonline.com/doi/abs/10.1080/10807039891284352#preview>

Dourson, M., M. Andersen, L. Erdreich and J. MacGregor. 2001. Using human data to protect the public's health. *Regul Toxicol Pharmacol*. 33(2): 234-256.

<http://www.ncbi.nlm.nih.gov/pubmed/11350206>

Meek, M., A. Renwick, E. Ohanian, M. Dourson, B. Lake, B. Naumann, and V. Vu. 2001. Guidelines for application of compound specific adjustment factors (CSAF) in dose/concentration response assessment. *Comments in Toxicology*. 7(5-6): 575-590.

<http://www.tera.org/publications/meek%20et%20al%202001.pdf>

Fenner-Crisp, P. (2001). The FQPA 10x safety factor---How much is science? How much is sociology? *HERA* 7(1), 107-116.

<http://www.tandfonline.com/doi/abs/10.1080/20018091094222>

Scheuplein, R., G. Charnley, and M.L. Dourson. 2002. Differential sensitivity of children and adults to chemical toxicity: I. Biological Basis. *Regul Toxicol Pharmacol*. 35: 429-447.

<http://www.sciencedirect.com/science/article/pii/S0273230002915588>

Gary Ginsberg, Dale Hattis, Babasaheb Sonawane, Abel Russ, Prerna Banati, Mary Kozlak, Susan Smolenski and Rob Goble. 2002. Evaluation of Child/Adult Pharmacokinetic Differences from a Database Derived from the Therapeutic Drug Literature. *Toxicological Sciences* 66(2): 185-200.

<http://toxsci.oxfordjournals.org/content/66/2/185.abstract>

Dourson, M.L., G. Charnley, and R. Scheuplein. 2002. Differential Sensitivity of Children and Adults to Chemical Toxicity: II. Risk and Regulation. *Regul Toxicol Pharmacol*. 35: 448-467.

<http://www.tera.org/Publications/Dourson%202002.pdf>

Gentry, P. R., Hack, E., Haber, L. T., Maier, A., Clewell, H. J. (2002). An approach for the consideration of genetic polymorphism data in chemical risk assessment: Examples with warfarin and parathion. *Toxicol Sci. Nov*, 70(1):120-39

<http://toxsci.oxfordjournals.org/content/70/1/120.long>

IPCS (International Programme on Chemical Safety). 2005. Chemical-specific adjustment factors for Interspecies differences and human variability: Guidance document for use of data in dose/concentration-response assessment <http://whqlibdoc.who.int/publications/2005/9241546786_eng.pdf> . Geneva Switzerland. Available at www.who.int/ipcs/methods/harmonization/areas/uncertainty/en/index.html

Hasegawa, R; Mutsuko, HK; Dourson, ML; Parker, A; Sweeney, LM; Nishikawa, A; Yoshida, M; Ono, A; Hirose, A. (2010) Proposal of new uncertainty factor application to derive tolerable daily intake. *Regul. Toxicol. Pharmacol*. 58(2): 237-242.

<http://www.tera.org/Publications/Hasegawa%20et%20al%202010.pdf>

Emerging Science for Environmental Health Decisions
National Research Council of the National Academies

(Nicholas Ashford)

Ashford, Nicholas. (1994) Monitoring the Worker and the Community for Chemical Exposure and Disease: Legal and Ethical Considerations in the US. *Clinical Chemistry* 40(7) pp. 1426-1437
<http://www.clinchem.org/content/40/7/1426.full.pdf>

Koch, L and Ashford N. (2005) Rethinking the role of information in chemicals policy: implications for TSCA and REACH. *Environmental Law Network International Review* 2(2005): 22-37
<http://dspace.mit.edu/handle/1721.1/55292>

(Dan Sharp)

Kraft P, Wacholder S, Cornelis MC, et al. Beyond odds ratios – communicating disease risk based on genetic profiles. *Nature Reviews Genetics* 10, 264-269 (April 2009)
<http://www.nature.com/nrg/journal/v10/n4/abs/nrg2516.html>

Cook, Nancy R. Use and misuse of the receiver operating characteristic curve in risk prediction. *Circulation* (2007) 115: 928-935
<http://circ.ahajournals.org/content/115/7/928.abstract>

Goldstein David B. Common genetic variation and human traits. *New England Journal of Medicine* (2009 April 23) 360(17): 1696-8
http://www.sph.umich.edu/ciahd/minutes/FallWinter2009Minutes/april/2009_goldsteindb_nejm_common GeneticVariationandHumanTraits.pdf

(Joel Schwartz)

Schwartz J, Bellinger D, Glass T. (Dec 2011) Expanding the scope of risk assessment: methods of studying differential vulnerability and susceptibility. *American Journal of Public Health*. 101 Suppl 1:S102-9
<http://www.ncbi.nlm.nih.gov/pubmed/22021313>

(Nsedu Witherspoon)

U.S. EPA. A Framework for Assessing Health Risk of Environmental Exposures to Children (Final). U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-05/093F, 2006.
<http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>

(other)

Bellinger, David C. (Feb 2008) Late neurodevelopmental effects of early exposures to chemical contaminants: reducing uncertainty in epidemiological studies. *Basic and Clinical Pharmacology and Toxicology* Vol. 102(3); pp. 237-44
<http://www.ncbi.nlm.nih.gov/pubmed/18226079>

Christiani, David C. (2012) Invited commentary: the action in the interaction and exposure modification. *American Journal of Epidemiology*
<http://aje.oxfordjournals.org/content/early/2012/02/03/aje.kwr498.short?rss=1>

Weinberg, Clarice R. (2012) Interaction and exposure modification: are we asking the right questions? *American Journal of Epidemiology* 175(7) pp. 602-605
<http://aje.oxfordjournals.org/content/175/7/602.long>